

60x120

R10

B


V3

R




6493-0039 / DASV1810

PEI 5  
mat-lucios | matt-glossy  
alb / white



6493-0036 / DASV1811

PEI 4  
mat-lucios | matt-glossy  
gri / gray



6493-0037 / DASV1812

PEI 4  
mat-lucios | matt-glossy  
negru / black

produs / product



EN



pcs/m<sup>2</sup>

m<sup>3</sup>



m<sup>2</sup>

kg

kg/m<sup>2</sup>

brutto kg

gresie porțelanată / porcelain tile

60x120

598x1198x10

EN 14411-2016, annex G Bla GL

2

1,4

1,44

27

38,88

32,7

22,7

908



60x120


 R10

 B


 V3

 R

6493-0052 / DASV1813  
PEI 5  
mat-lucios | matt-glossy  
bej / beige



6493-0047 / DASV1814  
PEI 4  
mat-lucios | matt-glossy  
ocru / ochre



6493-0038 / DASV1815  
PEI 4  
mat-lucios | matt-glossy  
albastru / blue

Înainte de a monta plăcile, vă sugerăm să selectați din mai multe cutii, să amestecați plăcile (inclusiv prin rotirea lor cu 180°) și să le aranjați așa cum este ilustrat în fotografia de inspirație sau să consultați site-ul [www.cesarom.ro](http://www.cesarom.ro).

Before laying the tiles, we suggest you select from several cartons and arrange them as illustrated in the inspiration photo documentation in RAKO catalogues or website [www.cesarom.ro](http://www.cesarom.ro). There are two recommended laying patterns to choose from: one is a strictly one-way oriented design, and the other resembles a chessboard look achieved through a regular 90° turn tiling pattern.